THIRD EDITION

Dangerous Properties of Industrial Materials

N. IRVING SAX

Director, Radiological Sciences Laboratory, New York State Health Department, Albany, N.Y.

ASSISTED BY: MILTON S. DUNN / BENJAMIN FEINER / JOSEPH J. FITZGERALD / LEONARD J. GOLDWATER

JOHN H. HARLEY / DWIGHT F. METZLER / BERNARD L. OSER / ALEXANDER RIHM / MEREDITH THOMPSON

VNR Van Nostrand Reinhold Company

New York Cincinnati Toronto London Melbourne

Countermeasures
Storage and Handling: Section 7.

LAURYL QUINOLINIUM CHLORIDE
Hazard Analysis
Toxicity: Details unknown; a fungicide.
Fire Hazard: Unknown.
Disaster Hazard: Dangerous; see chlorides.
Countermeasures
Storage and Handling: Section 7.

LAURYL THIOCYANATE
General Information
Formula: $CH_3(CH_2)_{10}CH_2SCN$.
Constant: Mol wt: 227.3.
Hazard Analysis and Countermeasures
See thiocyanates. An insecticide.

LAWRENCITE. See ferrous chloride.

LAWRENCIUM
General Information
Description: A synthetic transuranium element: At. No. 103.
Formula: Lw.
Constant: At wt: 257.
Hazard Analysis
Radioactive.

LEAD
General Information
Synonym: Plumbum.
Description: Bluish-gray, soft metal.
Formula: Pb.
Constants: At wt: 207.21, mp: 327.43°C, bp: 1620°C, d: 11.288 at 20°/20°C, vap. press.: 1 mm at 973°C.
Hazard Analysis
Toxic Hazard Rating:
Acute Local: 0.
Acute Systemic: Inhalation 3.
Chronic Local: 0.
Chronic Systemic: Ingestion 3; Inhalation 3.
Toxicology: See lead compounds. A common air contaminant (Section 4).
TLV: ACGIH (recommended); 0.2 milligrams per cubic meter of air.
Radiation Hazard: Section 5. For permissible levels, see Table 5, p. 150.
Artificial isotope ^{203}Pb, half life 52 h. Decays to stable ^{203}Tl by electron capture. Emits gamma rays of 0.28 MeV and others and X-rays.
Natural isotope ^{210}Pb (Radium-D, Uranium Series), half life 22 y. Decays to radioactive ^{210}Bi by emitting beta particles of 0.015 (80%), 0.061 (20%) MeV. Also emits gamma rays of 0.046 MeV. ^{210}Pb usually exists in equilibrium with its daughters ^{210}Bi and ^{210}Po.
Natural isotope ^{212}Pb (Thorium-B, Thorium Series), half life 10.6 h. Decays to radioactive ^{212}Bi by emitting beta particles of 0.16 (5%), 0.34 (81%), 0.58 (14%) MeV. Also emits gamma rays of 0.24, 0.30 MeV and X-rays.
Fire Hazard: Moderate, in the form of dust when exposed to heat or flame. See also powdered metals.
Explosion Hazard: Moderate, in the form of dust when exposed to heat or flame.
Disaster Hazard: Dangerous; when heated it emits highly toxic fumes; can react vigorously with oxidizing materials.
Countermeasures
Ventilation Control: Section 2.
Personal Hygiene: Section 3.
First Aid: Section 1.
Storage and Handling: Section 7.

LEAD ACETATE
General Information
Synonym: Sugar of lead.
Description: White crystals, soluble in water. Commercial grades are frequently brown or gray lumps.
Formula: $Pb(C_2H_3O_2)_2 \cdot 3H_2O$.
Constants: Mol wt: 379.35, mp: 75°C; anhydrous 280°C, d: 2.55.
Hazard Analysis and Countermeasures
See lead compounds. An insecticide.
Shipping Regulations: Section 11.
IATA: Poison B, poison label; 25 kilograms (passenger), 95 kilograms (cargo) (solid).

LEAD ACETATE, MONOBASIC
General Information
Description: White powder.
Formula: $Pb_2OH(C_2H_3O_2)_3$.
Constant: Mol wt: 608.6.
Hazard Analysis and Countermeasures
See lead compounds.

LEAD ANTIMONATE
General Information
Synonyms: Naples yellow; antimony yellow.
Description: Orange-yellow powder.
Formula: $Pb_3(SbO_4)_2$.
Constant: Mol wt: 993.2.
Hazard Analysis and Countermeasures
See lead and antimony compounds.

LEAD ARSENATES
General Information
Synonyms: Lead o-arsenate; lead di-o-arsenate; lead mono-o-arsenate; lead pyro-arsenate; lead m-arsenate.
Description: White crystals.
Hazard Analysis
Toxicity: Highly toxic. See lead compounds and arsenic compounds.
TLV: ACGIH (recommended); 0.15 milligrams per cubic meter of air.
Disaster Hazard: Dangerous; on heating it emits highly toxic fumes.
Countermeasures
Storage and Handling: Section 7.
Shipping Regulations: Section 11.
I.C.C.: Poison B; poison label, 200 lbs (solid).
Coast Guard Classification: Poison B; poison label.
IATA: Poison B, poison label, 25 kilograms (passenger), 95 kilograms (cargo) (solid).

LEAD-m-ARSENATE. See lead arsenates.

LEAD-o-ARSENATE. See lead arsenates.

LEAD ARSENITES
General Information
Synonyms: Lead o-arsenite; lead m-arsenite.
Description: White powder.
Hazard Analysis
Toxicity: Highly toxic. See lead compounds and arsenic compounds.
Disaster Hazard: Dangerous; on heating it emits highly toxic fumes.
Countermeasures
Storage and Handling: Section 7.
Shipping Regulations: Section 11.
I.C.C.: Poison B; poison label, 200 pounds (solid).
Coast Guard Classification: Poison B; poison label.
IATA: Poison B, poison label, 25 kilograms (passenger), 95 kilograms (cargo) (solid).

LEAD m-ARSENITE. See lead arsenites.

LEAD-o-ARSENITE. See lead arsenites.

LEAD AZIDE
General Information
Description: Colorless needles.